

L Number	Hits	Search Text	DB	Time stamp
-	538	@ad<=20000208 and (master same slave same poll\$4 same communicat\$4).detd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 13:19
-	894	@ad<=20000208 and (master same slave same poll\$4 and communicat\$4).detd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 13:21
-	50	@ad<=20000208 and (master same slave same poll\$4 and communicat\$4 same common adj (bridge or line or bus or channel or circuit)).detd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 13:22
-	22	@ad<=20000208 and (master same slave same poll\$4 and communicat\$4 same common adj (bridge or line or bus or channel or circuit)).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:14
-	7	@ad<=20000208 and master same slave and store same table same non-volatile adj memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:26
-	1242	@ad<=20000208 and (non adj volatile or non-volatile) near5 stor\$4 same table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:42
-	9	@ad<=20000208 and (non adj volatile or non-volatile) near5 stor\$4 same table same nvram	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:37
-	2	@ad<=20000208 and (non adj volatile or non-volatile) near5 memory same table same lose same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:50
-	5	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) near5 memory same table same lose same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:51
-	2	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) near5 memory same table same lose near5 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:53
-	1	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) near5 storage same table same lose same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:51
-	152	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) near5 memory same lose near5 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 15:59
-	10	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) near5 memory same lose near5 data and table same number same type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 14:56
-	55	@ad<=20000208 and eeprom same table same id same type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 15:12

-	97	@ad<=20000208 and eepron same table same number same type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:11
-	11	@ad<=20000208 and eepron same store same table same number same type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:11
-	55	@ad<=20000208 and eepron same (table same id same type).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:12
-	249	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) near5 memory same table and table same number same type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 16:08
-	18	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) near5 memory same table and table same unique near5 number same type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 16:06
-	15	@ad<=20000208 and ((non adj volatile or non-volatile or nonvolatile) near5 memory same table and table same unique near5 number same type).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:25
-	32	@ad<=20000208 and (memory same table same unique near5 number same type).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:32
-	2	@ad<=20000208 and master and (memory same store same table same unique near5 number same type).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:41
-	3	@ad<=20000208 and master and (memory same stor\$3 same table same unique near5 number same type).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:42
-	16	@ad<=20000208 and (memory same stor\$3 same table same unique near5 number same type).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:44
-	32	@ad<=20000208 and (memory same stor\$3 same table and table same unique adj number same type).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:47
-	1	@ad<=20000208 and master near5 poll\$3 same slaves near5 status near5 respon\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:58
-	7	@ad<=20000208 and slaves near5 status near5 respon\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 15:58
-	1	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) same table same unique near3 number same type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/21 16:10

-	1	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) same table same unique near3 number same name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:11
-	3	@ad<=20000208 and (non adj volatile or non-volatile or nonvolatile) same table same unique near3 number same identification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:27
-	2	@ad<=20000208 and 709.clas. and eeprom and store same table near10 type near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:31
-	4	@ad<=20000208 and 709.clas. and eeprom and store same table near10 (type or name ir id or identification) near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:32
-	7	@ad<=20000208 and 709.clas. and (non adj volatile or non-volatile or nonvolatile) and store same table near10 (type or name ir id or identification) near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:33
-	5	@ad<=20000208 and 709.clas. and ((non adj volatile or non-volatile or nonvolatile)adj (memory or storage)) and store same table near10 (type or name ir id or identification) near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:37
-	5	@ad<=20000208 and 709.clas. and ((non adj volatile or non-volatile or nonvolatile)adj (memory or storage)) and store same table near10 (type or name ir id or identification or name) near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:37
-	66	@ad<=20000208 and 709.clas. and ((non adj volatile or non-volatile or nonvolatile)adj (memory or storage)) and table near10 (type or name ir id or identification) near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:41
-	45	@ad<=20000208 and 709.clas. and store same table near10 (type or name ir id or identification) near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:41
-	12	@ad<=20000208 and 709.clas. and memory and store same table near10 device near10 number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:49
-	125	@ad<=20000208 and 709.clas. and master same memory same information same slave	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/21 16:50
-	47	@ad<=20000208 and 709.clas. and master same memory same information same slave same stor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 14:45
-	153	@ad<=20000208 and (serial adj communication adj channel).detd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 16:07
-	8	@ad<=20000208 and master near10 poll\$3 same slaves near10 respond	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 16:11

-	10	@ad<=20000208 and master near10 poll\$3 same slaves near5 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/24 16:13
-	22	@ad<=20000208 and 709/208.ccls. and master near5 poll\$3	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/24 16:23
-	12	@ad<=20000208 and 709/208.ccls. and master near5 poll\$3 same slave	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/24 16:13
-	4	@ad<=20000208 and 709/208.ccls. and master same poll\$5 same broadcast	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/24 16:24
-	8	@ad<=20000208 and 709.clas. and master same poll\$5 same broadcast and slave	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/25 11:12